

> MSS 2/0223-03 Acc. 1992-054-01

Curdicular or heart bours let this hie untill youget by the grace of your Jam bound Choties Marinin auphor the pilotes

Hospital Nelson Soudlow Medical Chaic Gross Surgery Groß Dungleson Phisology Jak Bache Germotry Dickson Roa of Medicin Hallace Obstetrico Mothile Militari Marica J. Plances asts Anatorny M Parapart Lanning Hatir Gentler way W Berry State Will Mindanto

Profer's Gavis Surgery Bache- Hemistry Dickson Page March Mitchell M. Mord Jua-2 18 mount Andrany 16. 18 mercian Dennestre

Mitchel Nov 428 1863 a drunkler know of water Does Alcohol enter the blovel It- Does enter Confestion of the brainthe blovel - This the poison of the absolute that produces the affect for the position of Insects and recuirmond Serpents they get dead drink -18 to those that are not in the habit of usering it Union for to extract the two or three and apply then to the abdoman in the form of a police

from dirette gorliche Garliets Sugar Give toose for a child a peace as lang as Mitmig two or thre times aday Fi Deagniss Lake a Gartick and hear it - and wrap it in a rag and put it in the las and leaves it in all night for string of a ber take a gostiek or anio and ciply to the part

Miladelphia Dec, 32 1863 Atous A is a charte brown color it is a ground to butter # Jamis mital Syfilis or Infantile Syfilis Usially find copper colored Shots on the Skin , the child losts shawled aperiance If the woman is tainted give the womand locked of Potassimu & alored of mucre Cifilisasion Eracticale the Disease by Inoculation Insoulate the thigh with

matter from a Shanker But sont do it for your patient may take you for # Wounds # It may be made by almost any Thing - Insized bound. How must such a wormel be managed I Suto the Hemorhage - Then remove all the faren. matter or foren Substance - If there is any hair I must be renaived Dressing- adhesive plaster and Suturs - Compresses and boundiges. The plaster should be cut in direction of its lengt

apply the 1st Strift a cross the center of the wound. leave places for dramage leave the Strips on until they become painful Iwo or three Days 11 Collodours - It may be applied in wounds of the niete or where there is agreed dell vascularity of the & Pein # 6. Wallace friday Dre. 32/8 Inflamotion of the unim/neg nated Uterus .- It is not likely to be confined in one place Generally seponds on the mencis aply Mitrate of Selver Syntens Sensitivenes pair from

The Destertion of the Blader pain in motion very little Disch arge Swelling - haush - Greate nausa - pair without notion Increased have with motion goniel pulse coted tongue lass of apitite Distress about the mamial -# Treatment abundant upper lication of leaches whom the perimen & above the pubis Dovers powder & Calomel Sedlito povodr lepson Salto. Use Ladamin Injections after the Cathartics - if there be undo Dryness passa lette love into the vagina 88/

Chroni of mattreetio 1863 give the patient very light Dick Keep her perfectly still until She is all right Intl uneasy cicing pein in the Efrigastrum. you will somtimes ful the leterus Enlarged through the abdoman retrovertion of the literous sontimes Shut the rection have some Drawing wow the Bladder Jus of mucus Secreted and Blood thrown out mitty pail salid looking pace Distursia from The Disorder 1281:

# Hospital Clinic Saluday Sec. 4. 1 th Case - amerism of Ortery Death from Convultions or from bursting of the anvisin, - Treatment -. (Dugar of lead -) Jake a lite Blood Digitalis Vratrum Verida - all. that you can do is to mak you patient comforable perfect rest. to the patient -Case 2000 Dullness over the right. lung- yourally catch a bad cold - (Preumonia) - Rusty closed cannot lay on the side Expectoration - Treatment -Counter Virilion Cultung murounals & antimonials weal? Diet prifier rest-

Continued aply over the chest turpention all over the chest Blisters if the patient is pube wine Whey but feel your way - In the first place over come the In plamation Dulness whom pucushion \_ - -# Surgical Clinic Dec. 4th 1800 12 Case - Infla mation of the Knee and dead Bone - Necrosis of the fernor make a free insilow Dress with warm water Tono Gase - Dislocation of the of the Shoulder - Replace It by pulling the hel in the avillar and take hold of the arm and draw it in and then seeme it with bandage

13

3 3 B Case - Fistulaa in anis The patient Sometimes has a cough The Bowls are locked up for 3 or 4 Days Pass a Director up the Sinus and take a testury and cur the Sphinetor up the Director and afily costic 4th Case- Compound fracture of The Fibula and Tibia and wound - Place it in the bran Dressing - Jake a fracture Box tack some musling into it to Rup the bran in - Uniove the Bran that has hus in it every day and hur in fresh-use Wheat Bran

Wallace Die 4 the 1863. # lime water oil for eaching of the vulva . ... Cosel & Surmater has, wealt Back-Oreatment Evacuate the bowels Campor 10 or 15 grs, every day - campur rad above Item purbis and one one the opost with an onner of campleon in the pad or carry a chunk in the packer- Brown do of Potessium - Sapository of Campor 36.grs & Compor Well Cae 2 Drambs Butter of coco has in 3 aday -

15

Bround of Botlasson 15 aday Brownide of polassin 2 chah Water 3 bruce In leaspon but m. no. hi. Cuff continually los of Justintin Scralica and the part with turpinto & Sulparte of Drine 30 grs. Dvid isto 12 /vills talle our every 3 hours while awards 25-drops of Turpintine 3 times aday Lesis consuntive cold hard coughing shell when going to led -The Hand is shiveled

and the will are curled down to the sids of arched towards the end - princusion is clear where the cavity is forming Heed the patient govel Spiritous ligners Tralliate The cough suport the constitution- sedative at night for cough for night Black Drop or Leandamin give the Sedative about an how befor the caugh my Shell comes on\_ a litte blister Black Drop every rugs fifteen Drops

huft case uterine Disorder Pains from the Shoulder . to the pain in the Back Leucorhae - No bed bulines about the Head Touch the os leterous with Lennin Costic Hymercily have Dispepsia Syfilis Frozo I achd of Sacrim 1/2 drah 12 Chlorid of mal gr Aggra of Ocurped of Ceoyalgia Binch of Chloride of Iwn 13 Deurin 205 Blu mass & Epucania

yours Chinic DEC. 45 Taply the time ture of I deline on the surface absolute rist Hey her tri by of the Jonque allte girl I Saw a menstruating Ulerous today - Dre 5th 1863 Dec. 7 th 1863 Monday Dickson-Typhoid Frener-It belong to a very large group of visiasion Ulcration of the Intestine Lymptim - The Symptims ani very electry 1511

included - Sensi of Leangor and depression is one of the Syntems Chillines which will last perhaps a whole day- Vansa - The Longue is swollen furrowell Hinly Towards the End Thick at the Back The skin of the Head puls teght the patient is ami cons to go home Delin : pulse is somewhat smaller and goniet - In some corded Sometimes an Intermission Hand fut and nose cool iregularity of the Heat

(Di e Pson (continue) on the surface of the breely this is the condition you find Her patient the 1st week? - Distribunce of the bowls\_Distintion of the Stomach-Derahea at the end of the 1 stuck or beging of the Dow you will be red spots on Itu Sur fa ce - you can obliterate there shots they Disahear very soon other come Patints may die without the shots Negroes never have The shots 2 one week a you have the Laugist more.

you may have himorhage from the mose The Longue Chy-Sordes around the with Darl? matter -. you will find it arrowel The lips and edge of the tonger - The patient is nesttess tallling and muttering to himself Some. times bull and heavy -The Bouls become more and more Intated by Dearhea Internation matter in the upper nortion of the Seringany tumers in Different ports of the body - a portiular short in the telly becomes painful 911.

Dicklova Continued) Drowshea is the usal mode of Death - He may dir from Intation - orcoma The Stomach is almost always disturbed - the slame or inflant The clauds of Figur are swelled and, inflamed ulcerated ul excition of the mucus membran of the Stomache (Dressing wounds) Dressing by Sutine The interupted Suture you Should be caugue that it is not to large - the Sutur Should be well wanted The needle Should be : 2521

23

curred can Should be take that the needle does not go through any blowd ressel or nerve or mussle - we do not The any until they are all in and then the the mill one birst tie them gently but firmly - Then take adhisive relaster and apply it or the out to Kup it from gaping let Them remain as long as necessang - to or 3 days or more -When ever you can use the dron use it it is better than silk Irdon Pritate the harts-Tursted or hairly Sutine In maileing the twisted

Suture take the pin and hass it through the part and then take a threat and was it and hass it Eliptically and their in order to support the interbal pass the settle res from one to the other then cut of the enils of The fins - constitutes a very nice Dressey-Lake out the first fin at The End of 36 hours The next at the end of 24 hours after they many be left 3 or 24

25

The grill Siture is Sildom employed in the present day-In dup wounds we mus aply compresses on the opposite side held there by a roller to mark in heal from the bottom placethe parto at rist and if possible in an elavatia proture and in a relayed position. litte or no local treatment to oursary of our action regulate the Diet avoit of action fine modes day 1641

I by clireottadhesion union by the 1st intention Slight inflormation place 711

Prancoast Anathomy levers of the third order Deltoid Mensle- Articular Subschular Me-insiel of Scapula inserti on the tubrosity of the humans

Wallace Dec. 7 4 1868. Subject Inflamoution of the neal of the Uterus In health if is smooth a peaulous green fuling nor is it paintful to the touch - How when Diseased The length is creater willth is greater and thicken - It is a very avenuou Disorder arrest of the mecis Partwetion - Sometimes at cessation of Mouse ration we have Suftan ation We Have a host of Courses

Dy m tems Acustymical Enlagement of the tissue you will find the me at the leters hand filled more or less with lymph Some Displacement of the work the women call it fally of the word what Does the leterine neck loor? litte when inflainece - It love very red - Secrecions Con! Cymph and press or muco puso It anoys the woman - after witing finel litte string flattes

Throwin off time after time first syntemts them was sometimes the vacance will be inflamed Take a sound emet passit into the nech and if you get blood the is Implamation Undru Discharge of Starchy Stickly mas The ularation generally begins right at the orifice of the uterus generally both like but not Egyrcelly - The moment the costie Touches the ul or you will have a white color These Weirsdo not often. brode - In addition you will bind the 191

bains enlarged - what Discharges have you in an ulcerateu literus but when hers is formel ubrasion is sbeginning The Discharges in ulcia. tion is purulent If the woman tells you that at every service Intercours She has bled ing it is nothing but Sometimes there is much allding wife it away and torich it with countie and as Soon as you car it tought cill over the bludding will Stop

Dunglison DEC. 7 the 1863 The circulation was Discovered by Harry In 1619 - We have two harts an artirial and are vinis all the blove gues to the Secrego to be converted in to arterial blood and then nasses back to the heart and passes out of the Ceorda System the blood pass During His contraction of the right side (50%

33

of the heart Both side of the heart act together They control together when # of ancough! Tying the Subclavian artery abovette clavical When you work around the artery. Hu pulscition Stops Somtimes - Iflyon want to the the the artery mean the hort rdis Schenus muste and out down below - But it is a very doingerous opperation as Agets near the hart 791

The heart Sympathises greatly with the arteries about the necks when you com avoid it don't tie't Cout down to the orbin above the clavicle and Combress North the Thrule and finge and Then out in the aniller and let out the clot and the both ends of He ortery there -(891

35

Dielison Deci I realment of Tyfoid Lever Emptions in fevers are som times wanting was struckwith the lession - Cause this whole grown of Disease a difference - Typhus and Typhioid occur tog ther - How are these fevers taken I think they are cetching - felth carries with it Typhus fiver the coming together of the crew of a viscel that have lieur confined for a long time They are capile of giving Jever - I believe that Tybriel fever is Contagions

ON what period Does a Shaul or option is hord base in 5 days. The horels may remain - to get riet of this put the patient under muscry-aply acid nitret of minery or minaurial oin truent get rid of the poison by a miles muraurial treatment Buto- is an affection of. the lympatic ganglian There are several modes by which wounds may heal I by the first intention

37

By groundation -By a Leconday adhesion a wound cand not keal without inflamation and plastic matter Junctured wounds forsoned wounds - They are inflicted with a nail or any thing of that I find - It may extend to any depth - They are very painful - Seldem attendant with any hemorha ge - It is liable to be followed by Prisipiles - There is no Disposition to head by The first intention Secondry affection the heads are leable to contraction

(Gross Continued) How should such a case li treated - -Get siet of the ferren Substance in the first place out down upon the foregn substance and remove it with your for ceps - allong the pan with anoeline - apply externally Cloths wring out of whom water medicated with opin Meale free Incessions for the purpos of allaying distention-Suport the sylen with anoding [ !

39

never allow Letimo to appear - Wormels are sometimes la cuatra torn - a laserated wound seldom blues much-Is leable to be followed by se anday himorrhy There is a sense of numbers If a nerve be toon there is but very little hain When ever the patrenet is in a violent shoots the blood coaquets much somer the museu lar Sistem is paidisell and does not act on He blood vessels

Lagar L Treatment of the Seasonates wound - Do the best you lan for it. From of Ite parts as micely as hissible and tie the artires and bring the ports bogether The Jame as Insigned loomed- Tepid water Dressing medicated by opsi- wounds are. sometimes Contused bones may be crushed Certers torn and no Tweath shall you do in Sucha casehold amorna near the nou Sash cold water on a-11 Strumlating Injection

Strundating Injection The nation I lay the head a little lower than the other norto to throw a little blow to the brain. & Black eye Cold water contains a little salt or vinega or armicalet out the fluid 

Dunglison Dec: 87 1868 Sirculation\_ Corprainorchia Polmonic Hent sytunice heart the Word coxlined both sids of the hart contract at once - There are two sounds to the hart The blovel pases out of the hart into the pulminary artery-The sound is rendered by the contra ction of the tissues and agricles of the Bellows Rasping Enducardel Blow Filing Sawing musical Co

Endocardial of Creat & new letter The hort bids with in creased force Increase of heat is one # Hospital Decino 9 st 163 about 3 weeks ag a She was taken with fleveling and Dropsical infusion had a misoarrage-pum in the breast short of break difficulty in prossing water Urin is alonos blower red has blove in it Considerable of Swelling all over the body pitting upon pressure

What is the cause you will find mon or less distribance of the tichnes - The leterino is in a State of inersion Does not contracts 1st constitutionally bandage arrowed his India of Iron - wine of Ergut Newvomica Mound Lelt 23 2 orkides Water. Inject the uterus with Mousel Salt 23 take a female Sirringe What mist

lot perfect rest Cups over the chest Cream of tarter in small doses- Fee of una unoa conjustione. of the Richnies which procuras albumuria 2 and Gase - Nuralgice what is the cause of it there are a greate many course The best remady is Jodid of Pottash when it comes from Cerfilitie Caint Or is inflante of a nerve - comence by leaches blistres dressing it with morphie Small Blisters - more or less iritation all the way down to spin - 1ex perfect dest

Lumine arrolline Give a hundres and Sight pills made of Iron tell them not to amie back until they have tool can Hu whole - 1 gr. if Iron in each fill- Sometimes hatints de well with Bella donne Acomite Somtimes you cant meste any un pression Somtines it does to Lat & our a prace of the morne (1\_51.

Acc. 9 th 1863

10 . Dec. 9 to 1863 Durgical Ch. Agnew. 1st Case Brown Treatment 1st Semend oil and lim - afterward nitrale of Sylver to excite granula 3 and Case - gonorhea 4 month ago had gon 3 weeks ago had should um on 4 months ago with out treatment has buto Gonorhea is en flames tion of the weethera -Shows itself some by a dis charge Sometimo 24 vr 5- days

Treatments Sullet testiale-briles-cornes by bad treater -121 give a fringe Echain Salto rest wrethere washed out with warm water 3 or 4 times aday weats diet astrugul acatale of Seal mitrate of Silver - Syringe out the hart with weeter birst aply it 3 times. a day interease the astrongento - Can about by lingesting 20 grs of Nitrate of silver 671

Gonorhice in the Eige Come by washing his Eye with his wine when he had gurrhice apply laches to the eye tard missate of Lylen make a Solution, weish it ove the Eye- Small Doses of Opin muschy 1/2 gr. Combined with 5 or 6 grs. of Dover power Sulplate of Gadminn 3 grs, in water dropt in The eye 3 times a daij

Buff. Dring lison Albumins mulis are thrown of from the Stomie. The Glando Bycer are con cealed deeprin the intesting they are not secreting gland they belong to absorbout system. The Digestron commen ces in the Stornach and continues throng the Imall intestine (17)

DEC. 924-1863- 5 Wallace Med - Chimics (Dovers poweler 16 grs) Squells power 8 grs mi divide & provelers one 1/2 hour before going to led one after michnight for to Looth cough ( Buels of Secerce 33 1 Power Min Amonia 2 " ). for sore Throat and Consolered Siceace 3 drachms Powder - murate of amonia 2 " for Ive throat and dry Cough-task a little and Sprinkle it on the tongue and Swellow it

for Histories & leterine affection alvis 8 820 Oron 3 200, fraction to the surface Case of Jesis Prolonged respiration Defused Brownial rolls through the long-Short of breaste not much apitete few cups put on the chest chy cupio - South down the cough first Ent Meyece arms 20 grs Opin faur 4 .. Squill Dir into 16 piles (517)

and refulls One every 3 hours begin ming at 3 oclocals - or before the cough begins Gobia majoria Bucknehmm ( External organs-- The Franch -Generative argano

Mallace Clinica. Jall ruflour as a lasatime in the morning to Take a spoonful of the flowe put it in a little water and dritte it ? { Powerter Klubert 6 grs Exema Capita Some Head or back of Treatment Starce poultice rut it on inthe morning leave it Celel Leur oil 1 orine Sirile 1/2 11 Servore not por 23/871

take a little rag and greas it allow at night Wash it every day but Keep Sope away -Blister Dressing of a blist acatase of Meorpia 23 Powd gim arabic , 23 M. D. 2 powels good Singical Blino Concepiloid Disease in a man so years old 6/7/

568,790/41,4/4/51,421,480 Walla co Sec 9 9 1163 New born abild you will find a time of guery love over the Chilot-Inflamation of the uterus Heypertraphy of the uterus The cerois utivi - How much may a uterine near enlare iel it many be from 2 to 5 times its natural Size When you commence treating it you will find it glow larger-Some times Singularly long wid and Hiel Sometimes you will have one lip longfy! I than the other on the account

than the other on the account of one side being diseased and not the other - Here is change of Position It will press against the lecture and produce Inflamation of the rectum Falling down of the uterus is a very broubleson String if the uteris is heal they then will be no trouble The upper part if the vagina will somtimes be presant let it alone Cure Itu leterns - Sorotimes the vulve is affected from the leters - Cure the uterns and their will get well italine, of the vulne is a sine

# of Inflormation of the Werne for that use lime water and vil Touch the os Werns with luner austic Every 4-5- or Lometimes the realism may become involved dischoos of pus and blood - Faire is rainly felt at the Seat of the disease Sometimes the uterno will be very sensive and sometimes not He panuel will be in the Small of the bucks and in The (661 ell- 12 22 11

Eleft every it many be in both Overy: pain in the Horageist ne region pain in the Hips pain under the ribs Foun high up in the back Headache Huno tional Symtems 1st as to mentionation A may be attracted as to time amel amount Veriveto an generally hastened Some flow but not enough Sometimes to flooding Uterin Inersia.

# Stoppid bever 10 15 1863 Examine your patients carefully - No fever can be cut short In a mild case give an Emelic and cathartic use Thucamiena for Emitie give a murcurial Cathortic and conster oil after it - Ey amine the abdoman and if you find tendemer aply a few leaches Early in the disease I umine in Tifour five after the Stomach has been cleanedout by a cathartie and emetre of you find Leumie not well born your patient will bear Chinishonia with Spirito of nitre (481

for the Diarelia use Jamin warm application to the belly continually .-Examine the condition of the blader - use the aciels Continually mural Salts Hychra-Comoreta mild Salines - Mineral acids Continus nurishment Hy dro clorie-acid 20 drops avery two hours but tea Luci fevers ulciration of the Intestino comes by Starvasion Dont carry the nurishment to far - Jurpine time is good in a red dry tongue - Verratrum verricla

after a cathartic an Emitic will delice of the Disease antimonial or fricac orcuma - I would rather talle my chance without purgates Select out of all the methods the best for the case you are treating- abstract light from the patient - Meild cathartic murcural Cathartic & Emettic ipica e Hydrochlerie acid If the the pulse is above one hundred give the antimonial Emelie - Rup the head cool Verratrum Verida - Controle the hearts action bring irclown Continuous nutrition- (28/

and Stimulents but don't press their to far - Cincana infusion of bank- wine ulciration of the epiglottis be conful to watch sluffing of parts bed sores\_ Chang the patie nto bed every day change woms if you can if somes do ocoo apply plasters Helmorhag is a very trouble Some Symton-draw a few owner of blood cold bath is very good cold application to the head plug up the mostrils stop it if you can - Typus of Typoid fevers a cur to gether in the same place and at The I came time - we callow the 14 day and the other the 21 day percer Fiel

gross Dec. 10th Removed a prace of Bone from He nose of a boy that he bad sliped in-Chicken bout Poissoned wounds Coinsed by the String of insects bite of Reptiles The sting of bies Sometimes proclue, death The constitutional Synthesis are depression feeling of faintness Tratmet alochole Complion whistly I hould Comstitution. all Symtems ocan grien alcoholic Stimulanto Salvand water - Treatment of Snake. Biles Sustain the patients System by alcohol and (EE/

carbonate of amornia give it fruly-feally at once accise the hast Cut it out very freely let the wound the suck is Aply a ligature above Ingian the Tenature of Joetine - If Suppuration acomo maste fru hat own - Hydrofobia persons of all ages are Subjear to it The Disease yenerally becomes action at about 25 days to 9 months or more - In the Dog it is less. The poison exists in the Saliva of the rabiel animal (681

greate dread of water or any fluid it Excites Spason of Glottis Treatmut 12 Effict free insission and aply cups and actual Cantery - Glanders -It comes from horses, Mourier - It is proprigated to the human being it is blood Disease - Treat it as snake bite -Dedecting poison bad syntens genery ocur witter 12-18-24 flours generally In a red spot and streats of red (181

arring up towards the Shoulder - Treatments washe the part very thousa by and Suck the hart after you have sucked the part let the water men on it again and then apply acid mitrate of minery or strong Solution of alum In making a post mor low Examencetion we should be very care ful oil the hanges with land. or muttin serate

2 de rellion Hospital Dec-13/16/8 Case- Bun Sick thru years - Has Shortness of breath was taken with the most in dark weather Is about 30 years old Had Cyma Diessed action of the Heart The I litest colole produces it we have newis asma-The air vessels are distincted and Sometimes brothen If It should be cloudy and rainy he will be so bad that he cannot sourceffy

begre it. It is impossible to cure it but you can do your patients a greate dal of good It may be nesoarie to take blook Enternal application and expectirento you must deep your patient very gouet- alcaline Cerbonate of amone Squile Syrup bluck but watch you hatent of they are weak Cupping between the Shoulders - apply to the Sirface turpintin whusterd plaster and amond 50/

ou control

Sudlow contino Inchine of Cobelia may be used - Souls paper in miles water and bear it in the room where the patient Slupe I veomes from the Jeungs Dropsical accumulation of the Heart- you cannot cure it all you can do is to Rufo Them quiergive a litte antispasmodie ( Ludlow Surgical Glinic) Secondary Syfilis

I well of Pottash Sgso 2 times a day in Syrup of Sasaphrilla orangly the Leves are breaked by Zine outment I adide of misory and rel percepitate Sulphor vacpor both after the Scalehas been discharged whe into the ulcer a little cost liver 20ty onor hice and Thanker - Has Ivre Throat ments a Shing apprompe worm water injection of Potash Dovers powel

Misipilus Iromatic purgi by calomel Iron Generous Diet Tonie Jime & chon brandy punch -2 and obesed Infrilus Idiopathie Irispilus It indicales Some constitues of the blovel - Jundom ein to form alcesses - make incression into Such Treatment murary purge Dovers powder att night Todid of Pottach -Socal application warm water or slipny elmo

with Sugar of led in the water and cloth wring out of it and applice to it Wallace Chic Dec/3 for Sore head Hey drag com arela 5-900 DI be before ted one in Itu morning Deport Sulfurio 2 ogro Or Cool liver one 1,8 Strommun outment, 43 M. Grees the harts 3 or 4 times a day in these cases through theday taply

Theunatismi gro Todie of Pottassan 20 Cearbonte of Paleass a 20 Acatelle of Blassa 40 Dove powder 23 I hate 4 powders Jak one just before Some to level -Jas a little land and heat it as hor as it can be born and and the part affec Nothing Social in the more ceft to do the nell

Tor Diareha in Children Aromatic Syrup of Galls Dose for a chila 1 to 2 years of is from & Drops to a half or teasporquel every 3 or 4 hours when awalle nutritions diel. eff vao Clima & DEC 18th 1803 Lasser ation of the Iris It gives most viblent pain I Treatment In the excussion of a part of the Iris -Aa Calinat 20 Sual 20 Compound Catherticpills Rup the eye perpectly at rist pung the patient 155

Dr D Dollon Dodson This tongue generally protes 3 or 4 inches when they are grown up becomes a redle with two ligation hassed through the tongue one is tied on one Side and one on the other very light and let the parts sluff off In a few Dougs cut of the part 1.2. When it is dead give a little Mookhan to Stop pain-Cascular Luma.

in segued grean tites athly bring and wales in a warm more 12/11- gound and hahun stronded be of the danced the when the remouse antagment of donardo drum Jam. II-wa faily with the base of the loves tuth Mark the morning Jame- anna from back right - bide of the town In do and dumer on the July Gros Suggeon & 120 Journales 4 161883

Wallace Dec 18 Deturdy I & Implamation of the externs Offly Vitrale of Silver at first there will be no pain but after you have applyed once or twice there will be hain which is a good Syntem - applyacidnitrate of murchy but be careful - apply the every fort nig lunar costile once between alily costic Bitassa in Carlymele Will Cure them. - and in uterm biseases

79

huch attention of thomas The Dispersion The done time or abdomin how & and apply it to aday; state a weelmin a had a describina Inducate the hart with Salle Somet out and and one every 3 hours while Duit in 12 possesson Galick acid 23 Themostron of the most Mallace Colinia

17 mellace Control you must at heick lint arround the spoulain-and as Soon as you have applied it take viniger in Shonge and appl to mutralize the costie or A will burn Don't apply it hard very ligh very light The actual cautery may be appliede - Don't leave than 4 or 5 Seconds In Sunh Inflamation Incluse of Jodine is a very good remady lent lunger contra co

lent luman costicios the thing - Felling of yours Dec 14th Mounday Umshor wounds The pain is very slight but nor always- Hemorhage is yenerally very slight A may be primary or se con dary a person may perish by Shoell- Training comes on by Soliers laying on He damp ground Prisiden is very common. many perish from Secon dary Drisipilus monny die from premia Trog nosis will wany from Summistances 7//

Tros continued Monday 14 many die without reacti on a wound of of the lings Sometimes recover - a womed of the brain never recover toon Treatment 121 ally Shook Stop Hemor hage 3 lemove bone of form busties 1st allay Shoots this is done by cordials place in the recommedant posture Cold wester to be clashed refron his face if he com smallow give him cold water Stimulento Mallow De Pras 11 the Man down 100

Wallace Dec 14th Monday 1868 Restroflection of the Utrus with the uterus bent backwards has the finger up in the rectum and hush up The uterus Procencia Uteri It is when I comes out of the buely turning wrong side out\_ i.e. the vegina turns wrong sidout- Strong Soreness of the belly If it defresed whom the mell you may must cure the inflamation a fast a possible give an ingection to clean out the bornel 2 or 3 cold water can press it for momenty relief it there is much plain

Wall a ce continued Moonelay Table a Tallow Candle and hush the cities up or into The rectum or tall a Colherater passit up in The very ma and blow it who it will sometimes happen that you coult put it up Treal retriflection the Same as retroversion Put in a pressery in Sudden cases of retrovers in sont stretch the vegina Dickson Dec. 15th Tuesday Typus fever The hatriest is generally taken with hed a che begg a vacant

look - Hu hear of the. Skin- Soon becomes hot the Skur is dry and harsh you have a Sallad dull look the eye has a glas ed love yellowness rum gled with redness en come the eye-a. good many of the cases generally beg in with nouse foul mouth not much poin but in Her head- pain I'm The belly- greate feeliness of huls in many cases-Culcineus eruption is earlier in these cases 611

Dieleson continued The longue undergoes many changes often class The Katiens will put his longue half way out and tate it back when you ask him to don't ceppear to unider stor you - Sometimes the hatiens shows Nausce you find Hickory the gland Swelling-pick city is a same of death Sometimes the wine will Stop your must exame Ite bladder-11, 1868

as a vile we cant find any change in the system after death. by examination - Generally the brain is diseased! or the heart - The Stornach is somtimes found Slightly disordered Treatment "Hoy po clorie and Nutrition"- Blud if the partent need it out the hour of the head an hour on col water and Rup the fee in warm water - The antimon cel Emetic is of very quate Service Ifthe tongue continu Crecimy cary the Dose to rowding give dovers

Tarter emilie every troso. hours - combine a dos of calonel determination of the head must be. reduced or the patient must clie - Some string low you must feel you way don't lit your patient Stalue to death - Use bank. early in these yours cases chang the beel every day ventitate the room -I hmy the patient to Reep down the hear of the buely-Spotel fever here we have they same

difficulty their we have in typus patiento Sometimos die within 21 hours purpular Shots occur. The treatment is the same as the other from of Typus and Lyfviel only more prof prompt Gross Dec-15th Tuesday 1863 Junshof wounds -Shock it does not hass away for some dails some Times It cleperal on depression of the nerves It is generale and by stimulince of un al dohalie caractor

Hemorhage He ow is it to be stopk tie the blood vessel above and below oil it is a large ressel it should be done as soon as possible - if it is a small vessel cold water will stop it Lecondaing hemorhage oceurs from one week to eight apply atomica above the wound - it would be well to plug the wound with link and dron if the bellecting is profuse cut down to the artery and the it above and below but it so happens that

we commot fines the bluding vessel 30 to extract the ball and all foreig Substance placette part in the some position that it was when it received the enjury and their you can has the prope to the bottom of the wound you can tell when you touch it by the sound having formed the bulled the next Thing is to remove it This is done with the forcefro - The bulle & must be it acts as a foregry body

you would not search for it in Her brain lung lives or spleen let nature get viel of it one it If it is intorely in Her bone let it remain Sometimes it is nesseling to use the trefine Splinters of bone should be Sedily removed excerne the partient thursely and remove all puces of bone and all principa boelies They will provot? violet inflamation and death

Hospital Dee, 16th Mednesday Delessin Treniens give them a good Emetic and warm bath- Magnesia with a little anoetine Opic to grint if the ferce is net pulse high cup the back of the niets Viatrain Verida Digitalis Sometimes you have to give liaster they are very nurvis on the sid Where expectorent treatment the patents of got well you must treat patients acording to the case - Stimulate gradually and give oppium give broatmen Verida 4 drops every 3 hour Symtours - you will find

you should be very comful how you administer opis or Securdanin Treatment Don't with chaw it a once you must do it gradually or you will have Manapoche or newis Intibility allow fresh aire Stimulents gradel dich Mini vomice is very gover. Hu liver becomes consisted Give may apple in very since Doses in Gor & gro with mission agnew Dec, 16th Wednesday Indulers ulcers cured by compr ession after the ulcer has heald you must apply Starch poltice and the pelowing

Nital acrd 27, 4 drifes Simple Sercete Zii to be applied to the Skins to change the caracter of the circulation -2000 case, aleer on the antele use bromine world it into all the parts of the Sore- you must pair of the everted ege so that the browning can come in evidach with living tissue 1 part of browning to 13/2 certi water - gentle cathartic go chit warm water dressing

3 case Sove Eyes fullowing the excessive use of lique regulate the habito Treatment Diret the patient not forcibly to force Open the lids soke them in war water - our men Il gramio led per cifutate Some Leight and a little finally powelired wheel on the liets 2003 times a day - regulate the bowels - Citren ointe is very good - murcurial outwent -4 Casi The man full down. Stairs, Dun 18 - Has a very bad cough pain in the

feels something greating together Syntens of fractured lide The ribs are fractinece The & and 10 apply a roller or allresine Strips - The Strips Should always run obligately Strips about 2 in broad it is necessary to controle the cough live amody nes every day a 1492. of Morpia 5th Case Syfilis Secondary affection crosine Subline 192 in 3 omees of Sassephulle Dose I dalle spoon ful 3 times aday at night Doverspoweller 23 Roshell Scilts 19, tracter emitie for physic

Gross Clinic Dec. 16th 1863 Ist Case young woman 25 years blind in one eye caused by Inflamation of the eye Happed when she roas 6 years old 2 ond Case (a niger) & one Enge Received a blow on the toh fuls Dissy in his hed number in the Scalp-Disposition to fall forwards - The only thing that s we can do is to gettid of the existing Inflamation Wine of Cevlohichun 1/ 2 I Ehren Sall-Sulp of Morphia wash the forhed, with how water with a lile salt

water with a lile salt 34 Case- affection of the blades Elytropy of the bladder a hernia in each Groin For ulcers and fellins apply acatall of lead and opin - Internally murcry and ofin- The best unidy is to cut them to the borne in fellens Congenital Hypertriply If the longue gross rimbred A Joday The 16th DEC. Wechnesday Next case Hair lip -Desect the leps up and pair The edges From Detachtu lip from the gums - Introduce ahim at the lower extremity

and then con other higher up - The child should be two months old - cut the lips with a pair of cissors be confue to get the lowere edges even leave the prins in from 3 to 4 days belief foot cut off the missle that holds and how on the appearatus to straight ton thein Thesing 000 y Wallace Dec. 16th Wednesday On spessery They Should be maid of flexibe mette Some womans com wear any pessery at all one the account of the tendery

Of the vagina Sometimes the only thing that a woman can bear ex is a peace of springe South Sassha is a little · muslin bog fild with Tomin or provdered vale barte-dowt put it is if you can help it don't leave their in any longer them you can help Sometimes freg ment women have feeling of Itu leteres by the blad de not being emptied They can't pass their watter or Their one pass ing weather sell the Time A comes by a sudden Jany or faling

on the beach Signit an acting of the hacks Hulfbest breatmen

Gross-DEC. 17 Thursday Carny Genelit wounds Continued Sometimes you must enlarge the wound and excerne it morder to get net of love prices of bone- This many become by the fingers with the and of forcips you may inject cold water to waste our sme be prices of born out

103

bone or they will 103 be pricking the mustes and blove vessels Then placetter parto in a recon ed position a little elevertiel-Their use cold water Dressing medicated with a little opin don't apply any thing to the wound like link you many apply a roller to Support the parts Jalling conthat you do not close the opa in Do that it cannot Discharge - Gold water is the greate remades it is not to be used but all times 75

But if the patient has bear shook or diseased previous to the wound Then use warm watter or poulties - at the beginning of the clisicos Cold whiter afterwares warm medicated with alcohal acatale of lead opii -Constitutoral Treatment It should be writifullo. sistic or if he has lost. blood mills princh mitri tions diet - for wound bever you give Morphia Sartras of customorny

we give it for to produce sleep and to relieve pain if the is ween spring the bully with coll wester if coll use warm wester he delete the wound if there is Supreration and no dis oliance you give the patient Morphico Dollin in combination with. mututions diet gun shot wounds in different parts of the budy of the lover to extremity - amputa

Primary amputation is amountating at the time of the enfring Se aviday amputation is ainfurtating Some 4. 40 adaylor Her wound you must computate in a healthy hart. If the bimb - when Her patient is we low State you miss bring up the patient before How you operate you must not waite untile there is ilnfluration always administing closer is a good strumbent

What one the cases that demand amputa Suppose the musslesbone blood ressels and all are injured you would aimput is whole and one of the large vains or arterey of and principle never and uprill you will ampulate but the are exclitions to all rules - if a large fromt is live ofen amfulate or your patient will perista from Jugania Typorial or disipulino

Le gross Continued you cannot amputale for ingury of the hip Join h 1 Dickson Dec. 18 the friday Cataral fever with a large dose of Opin we can about This fever - you must quarel your patient for a few days -The loss of a few owners of blood to very gover you are emitte and a cathartic - Warm Strong infusion of

banks Palicative by nansiants blister the back of the neck mistered to the feet calus of the leg miller the arm Ty forel Kurrouse Live throat is one of the Sy mitemo The Disease Commences with chills Generally dullness Dull acting pain in the breast bull ries ou precusaion Sometimes Decretice Pralises of the blackder you always finel plastic lymp in the

Dacker of the heart and lungs cent plura Gree Dovers powder or Soundamm to releave hain - Corbonale of amound and wine has been used as Stim Cilerato Boston Menuatio acid arsivie as atomis

Gross Dec. 180 friday 18688
The opening of entrance
of a ball is much
Smaller than the openy

of exite-Hernorhage or wounded cuttines They are Heorizontal oblique longitudinel They contract the blovd coadjulates with con external clot and inter nal clop as the ressel heal the clots are abserbe and a closure of the arten by its coats It is much safer when the certain is cut entirely . The Trank when it is Wormsled The ligations come out by ulceration is off from chtrees some times it con is detached in Les two or 3 days in the

in the larger certries A may be ten or 12 day if their do not come love take hold of them and make a little frictine Compression Fornica or compression. Furnitives a wound may be pluged Stip ties cold water and cold air pir Sulpliate of Ivon her closide of tron alum Crevsote Sulphate of Cerphr Wallace DEC/8 the Juday on Obstories

113

Retroversion of the pregnant literus Interference interperence with the bladder, What would become of the uterno. The first Him to be done of is to examine her and put it back which is hard to do- The first thing to do is to empty the bloder which is sometimes very dificrell put your finger in up around the pubic. arch and push the uterns back and pass the cathater up along the finger

Then fut your patent on her hands and Rnus Then you unload the Wears of its weights Then pass in two pringer into the rection and press it up cantionsly and put one finger int the vagina and get your fings into the os uteri and draw it down Hoaving replaced it put the patient to beel and Rup her ture for a week ortwo but if you cannot replace it then you

will have to produce abortion - neigh Universion of the uterno - What is the cause it generally comes on just after labor bus if may come on anytime Caused by a Folipho Consel by iregular contraction! Hospital Loudlow Dec 19th Saturda pet Case Fracture of vertrate Counter installion frate on to the links and Mix vomea - has a stringing Sursasion Hu Spine to be unled with strice ne outrest and. Striamina internally

It comes by a fall on the butteres -Carefully exposine the Spinal colum-cups and leaches along the Spine Take a towel and dip it Salt and water and let it dry and only this parts with Then with in a little. Strionine ourtment be careful about lied Sores use (crosive Sublima and alashal for bed son a hole into for the love

to rest in the your" patient how it is till Them that time must do more than the Dock The news of motive are injured in These cases 2 on Dease- 16 hermations also some pain over the region of the heart had him out our the heart Hu heart is very liable to be affected Reep down the action of the heart with becetram verivrain 4 drop Doses - Bleed in Some cases when the hulse runs high Mensercel of the Lockum 391 # 4 wall

fine hours ofthy de audan Bush Lay stell for a hart of the devolume hutty well at the lower tot dolgressed - enter it Twoon to draw off the In whenend with a - myorap Enkagement of the Nov. 4th 1863 all that is ricesoung 10 days too Dearnage to or Adhering planes

the hast by a rolles tentitud a tumbout Take a long brothe Asin dengt course Theretund task. moring Frotile opening of the " fr, Blu mais It they down acres the bornels. Mar 4 # 1863 Mesol

Secretton continued Small Doses of blue mens and Dovers poweler heeron condition of the wire cup over the Rid Ditash in 20 drops all calin treatment brachell Letto nistat of Pottosh Dovers howeler at mich v Very frequently we home your with it Then use Certalishmon located it Fattush in combination is very coval where there is Lyfilis tie taint of if is in the

Knues aply a small blister to the hart will then Reep it open with morphia- meetle a liminent of goose grees bad liver oil camples Amonia and wit with it lottine give grees cod light vil and let the patent wear it Then Rup the patient In action - Su. C. 19th Dec. Saturd 1 Gase - an antersposterior Curve of the Spine Low courses 121 Pritostism es affected or Scrifulio Discretes it is called Dorto diseuse If the spine

Treatment est recumbant assensial in the very early from of the discuse you may apply blisters and ledates . Constitional remadies mitations diet coel liver vil Diminie and a little I vow Down Case a Woman - with a timor- Chronic abceso Consul by a fall Texatment consists in malling an insision after wards inject a wears Solution of

1

nitrate of Silver 123 36 ase Sore Eyes Prof Dord Prow what is the Diagnosis Ith case Sovithroat The Tonsils are very much enlarged you can releave Hu difficulty by Searchica tion and then apply losting and if very bod out There off Case - 4th Conjenteris fell on a com stalk and put one eye out the often Sympathises aply nitrate of of Silver Eight gro, to the ornice counter intation by a blister on the lumple

Wallace Col 19th Dec Saturda of the arm a young woman - active friction toniales Fivelers Solu ton 15-drops m A+ night in a little water - a salt touch friction all vi the levely Eck Muy vonnece 2 ogs Divid into 20 pills I more now and might if it Disturbs Stop a few dangs and begin

200 Cerse pain in the left sier pain in the back Sucorhice abundantly poor april te been so since hu 30 Gose Bluding of the Inone Sound of the heard more Distinctly than it Should Hu neils counted the upper portion of the lungs are very much diseased night sweats had a himorrhage and then he felt better - Cough was lutter had helie fine the himorrhag breakes up Hu heetie fever has a greate del of mucus in

que a moderate amount of Opin to Stop His cough Brandy or whistey Et Rey ce como Bogs monghate 12 pills Direct 1 m - A- and night 4the Gase Jisio Has a bad cough in the morning when he gets up takes black drop for the cough - the Sound Seems as if it was right in ear give Whistery or

Gross Cl. 19 13 & Ec Salinda, 12 Case Contusion of the Should joint 15 acmite 1 Strich A. en argement of gland on the Binivelide of Murery. Lugallo Solution intern ally I cannot be removed

Fralisio of the Bladding We must Stimulate the belockder The wine Should be drown off every Six hours -Nutritions dies Sinet of Chloride of dron 20 gro of of Strichmin Showish South Colicine I did not get the Whole of the process

y Wallaco Dec 19Hz Jumors of the Werin are of two / Emiles hu call them fibrous or fally what are Surtons weight bearing down pains back beche Swelling of the lego, you phove A by examination Hu Meences mayour meny mot be altered but they are generally cire- they many become preghant Treatment you can't do any thing but Supply of the System Sempory stupport

Ley ubil intercourse make them grow the Sexual afetite is increased (-)(-) Dieleson 21 st Dec, Monday On the sirculation of the blood - The heart is about the live of the main fist weight about 9 ounce The heart has two Sounds the first is lononger and dell the second is short and Sharp Heart Disease There is unery pullingabout there gions of the heart full fainht when going up Stars the longue has a dank color

you find Heart Disease connected with Plura and Rhennatison There is Dull pain about the region of the frecut violent beating of the heart cough heat of Skin head a che thurst nansa Delim the patent dues not like to lay down plat wants the head raised pera ecuelilis is more lasily Diagnorticated Generally connected Faracardities usially shows

bey excoming by curs cultatton you will keen a rough somet generally lout a short time and then the Sound of the fre art becomes very dull this owing to exision in Hubrent - Her patrick closes not want to lie down a little haelling cought, The rough Sound may return which is favorable-There is Some edima the pati ent commot as eard a hight Endo carde to gives

133

you a chill sound the patent com plain of heavy pain less. Liver less vineasiness If the substance of the heart is obseased you may have emp tion of the heart Hu heart has been found fild with pury looks black you will find it covered with a cinosio mem brain sometimes. you will finel little works on the values Sometimes they become Stop Her circulation

The treatment of are the same the lancet has been used in all these cers er I think it is very asservated I would repeat of the scene Syntems acorantimomials are. much in lise Verreitru virida luch the regin of the hort counter intoller reduce the chief very much for the first bewelong

135

Gross-21DEC Mounday amfulation in gun Shot wounds we show amfulate som ways from the enjury or the Inflamation will be very severe Gunshot and other won of the South when the wound is large Shave the how off and apply the Suture they are cept to be followed by more or less disturber of the brain muralgia

1863 1863 A Folipus of the Welline Polipus Tumors are but Slightly vascular Bleeding from the womb is one of the Syntems of Polifus have just as much himorrhay from a Small one as a large one The Uters grows as the Pofipus groups Symtems Soucorheae Hermorrhage you must make our examination Sometimes the blove relarmed in the when

Trament away with the Disease you many have to Keep your patient up with good Diet Strong astringens injections of alim Opin or plug up the bagina to stop the blood and wait a while untile you can get to it Then take your scissors and cut it off as close as you can if there is any lift It will thrink away If there is any hemor heige you must touch

or you can apply a ligature to the polipies They are very say which arrists the chronotion if it get nasty you can tall a by ringe it out - you will have to catherize you patres after the turnor is of wash the party with water meetica ted Chiloride of Saela or a litte Loafe. if you finel brien labor put a ligation on and draw it as tight as you can

and out it oft leave the ligation on or tall our eccaygan and crush it off land you will have no hemorrhage Colly flower excressive Springing from the ou witers Sometimes Herry grow very rapidly Sometimes very slowly It is a largely varen las body with small bleroussels

1863-1863 H 1863 Griss 2200 Dec Tuesday Injuries of the Seals and Brain - Friakism Mallace Gl. 23 Dec. Wednesday 1st Case Sistalia Has-a tendancy to voiling --I he has a lumb in the abdoman we think it is disease of the panereas Which will run into cancel almost every thing he euts distresses him all you can do is to palliate the condition of his bowels should be looked after give murchy to ware up the Stormach or Khenbart alos

rach or Whenbark Closes Sub-ritrate of bismutte Give a Small amount of concentrated food, you can apply cups Blisters to palliated the Disease tor asma TE, Squilly · Spucausia Tinch Sochelia Begin 30 enegglis Use croten Oil on Hu Lurgice Wallace, 230 Dec. Wednesda Colly flower excressions is uterme or bagina Disecise Treatment Ce more it by the 12mile or the legature having unioned its bring

your costic down upon' it Bostic Portaste or aciel milrolly of miron arrel Leunar Costice good Supporting Diet Levinine My Vormica Chlories of M Survey of The Cevery Eyetic Tumore But you may have Soliet or Solve and Cystic We fine them at all ages the greate myorily these timers are Cystic The surface is smooth

It you tap them you may have tamorhe you may have transfire ed a large vern adhesions will exist between the cyst and the faciloneas or unter timo They sometimo contain pair bone and far

on hundred and duen Tartude of Dr. E. A. Banto Jamie o ulphunic axalie The your chlonic glay dre enouice 31 Cthic 11 Carbonie dellamy ore Alechol Heufunetun

144

Hoonde on Aconite Ledether birds A w highling thomusaler Smolls head beach between produced cominging Ab de lino deminentation Meny Kinn Indusion Grow pilaster by booold botabille for the years with the blood Herman he medicine 6-5:

J/6,0 18031 A. V. Gross 24 the Dec Thrussla Ophthalmia in a child 3 week's old Treatment Tepid water and mills to be injected in the eye every 2 or 3 hours, One grain of by Chloride of Brusery eight omnaco water 18 of a grain balonel and hold grain of Spusacion Dislocations Dickson 28 to Dee, Monda Heimorshage Epistases on hemorrhage from the nose

Gross. 28th Dec. Monday Brought in a little tiger bu Dislocation of the lower Jaisso The lover jaro is Hirown forward also a cavity in front of ear Dificulty of articulation and mastication Lucate ment The Thumbs Que introdused into the month and the fingers below make a ful crum of the Thumbs Ilu jaw should be band aged for 400 5- weeks to let the ligardout heal

Dislocation of the bestra bra. Hu patient general Dies immediately Inglo cation of the Clavie Wallace 28 Hs Dec. Monday. Ovarian Tumors The mences may or may not exist-Fregmanay may tate place and go on to full time but it com. not be born then you must resort to cranivling Somtimes they are ! absorbed Diagnosis of cess the Sound july the

When it is

where if you buil there is a Tumor. outsid of the celeris it may be the lumor Shi has the Syntems of pregnancy Sometimes they vion on to to a termination Somtimes they last or fifty years buth the Stonach well with Sweet oil could tuntinhor hot use opiales love to the gener al conclition of the 3/7

1863 Thiladelphia Dickson 29 Dec Tuesday Hermorshage from the Source Freatement Table Salt Opucas. Antunquials Timbines the So concet is the best remady When the pulse is hare and face flushedvery few die from the first attel The English use Mexicinials I never Saway good from it-Verratrum veridas -Janin 2 or 3 grs wey hom acatale of lead Demmento

Nibrati of Follash with Dovers powder /heasoto. open the bowels give the patent now isking foods-counter wittanto Warm poultice with a little musted after wards a lange Blisted over the part watch the cough with greate care! Bleching from the Stomach - fuls cus if medles wer miner in the I towner when fuls siell at Stomach

Dicht son Continued It is not generally fatcel Treatment Janin with Brandy Blead of the pulse is hard External irilation acatalle of lead 5-10 vr 20 grs -Per sulpate of Iron Muriated Tine of Dion with Boste you will almost always finel Loine disorder of the Stomas Hemorhage from He teranary blader If the hour is in the

Uninter region it is from the Ridnies If in the Delvis it is from Hu Bladeler Tratment Sit Her Patient into a tub of cold water Colder worm aple. ation according to the feelings of the Patient He go Vital Soft DEC Medalo 1 Talient Good Torigue very wear pilse hed ache pain in the Irde - has Browncitio has a Kind of Hesterias your here asafveteda hours tot every 2

generally comes from Disease of the windry orgons - Offfly Seunder costic to the neath of the uteros of there is Unitation of the uterus asafoelda in combina tion with Diver for nervis critation of females take them acray from all excite ing courses Veliriate of zunc or black friable wit Sirvicafuga New vomica & Striemiakugo to wake up the morbid

15/

after you have produce ed the affect give ano Surgerth Agnew-30, dec-126 das - Cancer of the face note your some of the lips - Girl 14 years old heatment lib on a little cost liver oil and constitutional treatment it connot be cured -2 va Case - a man who was wounded at the butte of Ceder mountain Compound fracture of the leg below the Krue

Her wound has never heald - There is necrocia I the bone 30 Case - Enlargement in front of the Thyroid cartilage - it is a boil Irectment open it and apply warm water dressing a few thick nesses of muslin wring out of warm water with oild silk over it fastened with adhesive plaster 4the Case-Black Woman with a cataracto in her eye

Jth Case - old man with stricture of the wrethra Treatment Insision Delatation If there is pain after the operation place the patient in a recum bout postine and dovers powder in 10 or 12 gr. Doses\_ Wallace Dec 30# Hed. Epilepsy in a little girl poise in the It vinacle Throws up him food - Cont express any opinion - Bad case

Heydrocile in the Jerotim Malle an incession about one inch long and take a mor and Saturate it with egreat harts of alcohal and. Vodine . . . Conlargement of the Tomil Snoring when a sleep head turned back - and propose Sucrating when asless you whust excise them the patient show be Rept. in a won Washed only with a Voillage noth

il Water & buriger Wallace 30 Ho Deco Amenowhea Minces absent Concencio menerim Dis menorhea 6, alaes 1292. Oil Jansy 1 Druge Iron 3 920. Mous tand plasters to the breests and inside of the thighs Stimulating Drinks If She Don't minute put on the muster plasters on It briast thighs formentami

Helreve it is caused by Dickson gant 4 1864 \* Dropsy\_ a collection of ceritorio flich 1st dirons Dopsi 200 tibr cerious Dropsy I is very dificall to decide between drosy and Inflamtion Ilu wine is scanly and high colored There is album in the wrine the Stornach is iretated by its own contents there is swelling If the feet Today is a Survey. (Monday) 157

Wallace Jano: 42 1864 Morninalgia to profuse low of the mences Serval excesses often produces it the causes are various - Examine the cause firstfirst / Crep your patient Still - you will have exacted pulse- Jak down the pulse first Ezget and Junch of. Chloride of hon -If it come on when the flow does you can apply cold to the pelvis Dry cupo all arrowed the pelvis are very good

Brighto Disease of the Rolling It it defined on utirme exactement you must treat it by rest and apply oups in leaches If it is dependant on to encess of Sexual excite ment Stop the excess. If the man is to carn buncious - give time Larter emetia and water 2 gro, to the onne If there is ulceration of the cervin where you must apply costie to I the pasts Clorosis se

Symtems greenisti thinge of the face brown arround Her eyes Disordired Resperation to frequet. palpetation of the heart Dull pain about. the chest. Depraned apelite pain about The cebolores am Disord of the Kidney-flatular Distrecele pain in the limbs feet swill face swelled in the morning Corear will Set in Souther Strange will be the Sight cevel Sound

you must look after the uterus and Omerina gira filmly of Iron good exercise plenty of fresh cin gentle Stimm lation annual dich In Dearrhea pout in a little opini and capter aloes oil James and Iron - action friction on the Surface with salt & Dickson Jan 5 th 1.864 Inesslay Dropsy It is hard to remore the course

grute easily the whol treatment of dropsy is indirect after drawing of the fluid you whust stop its reforming if you give catharties your patient will die soone from the drain you Kins affect you must Stop its forming -The lansit is very good Blistero also opinion out times act as dureties Degitales if adapted to the case is goods Regard the condition of your patient and treat according

Dilatering in from 16 to 10 of grain every home Cercan of Jartie is very good - gamboge given in Solution with Mitric Eather Netrate of Fottaste Justintine Juniper berry Com Thandies I you must give water Dry dut\_ Farley tea is very good to act on the Ridnies suretico act better When combined you must be eareful not to continue to.

163

Colchiam combined with Ignull is very govel where there is gout or Chemmatism with dropsy- mak insision with a lancet formoster Thethe Termination of Willemore to the bowell of Counter witambo Infor motion at more Agento their distray in flow Districtus GE will progue scrift (38)

make a greate many primatures on the sale of the foot and antiles How shall we prevent the return of the fluid give the patient fresh air eneroise que dron and bank - flu Infusion of Syncoma is very good snake was murcurials have been very much used assormy the belly with Digitalis -Aschetis you have to distinguisto it from

pregnormay be very careful in diagnosis you will find the misentory glorato enlarg the poilient vomito bile in the morning feels dissy has head ache the wine is secure and high colored exame carefully into the history of the patient previous to the assuplant you will find the line affected (58)

1864, 1864, 1864, 1864, Field on Jan 7 18 /184 Thursday Aschitis you will have viscorial disorder Lorner or later - murcurials an well born in dropsy If you do employ them do it confully If the muraurial feter be produced Stop the murauny you should always have your finger on the pulse while The water is flowing and if The pulse falls stop the flow The operation is generally well borro - you can use Stimulating fluids many be Injected in alcohalor Judin (46)

Hydrocepholis or deopsy of the chest It is the result of Pluratio Diseaso - or cardia disease you will be expected to make corner diagnosis you must change the possition of the partient and procussion and anscullate and you can tell of you are confue you will find their the lise and fall in Uspera. hon as the other side There is a sparte o conditon - The patient Suffers ongoing to Sleip. The hatrent hants on the least exection the wine is high colored

Iregular pulse-palpetation of the hart Sometimes the heart is out of its place, further by the fluid -Treatment, Divilies are the prominent treatment In many cases you will find benefit from mura ury-Tobacas- Cream of Laster In some cases the Cornect is very good you must judge by the consti believe opinion must be fruly used-Blisters Should be applied extensively to the chest The thoras may be

opened and draw off the fluid. Heydrocefiles And Fluid in the Brain Holl Shusday Inatment of frature 1st Set the fraction by extention and Bounter extention and malifulation The extention should be mad in the direction of the your or light of this bone be careful and do it moderately If the fracture is of The inserior extremely Confined to to biet

Januar Board board & Bodler board is very good for fractives of the jan orarms but It Should be put ento Billing Watter to Softenet and then mold it to Suit the hast you must commence the rolar at the end of the limbe wow must make allowance for swelling apply it loosly if it cets to tight thias unhow it use The sissors to slackon it Somtimes The Candago is wet in working weather

in western weather after we have got the ends of the bones lugether we endeavor to Ruch their there The Dressing Should not be removed - visit your patient often. During the first few Days the partiet will have buen these must be attended to gree antimomals Cettered to the wine the deer mist attende to- after a pew days you must make hassing motion to Rein ancolosis from the joint

when you take off the dressing you must weish the soult with coststul soup and hathed in Comphor is one where there is a wound of the Soft fort Should there be a Dislo cation recluce the Dislocation first and then Set the fracture should a joint be laid ofen or the main arting tom of you Should de amhitated Sometimes the bones will not unite with the lest treatment

173

or it is not solid 173 then you may breaks Ondewidual fractions fracture of the nose They may be Simple or They many be complicated Deformity is not always preasant Introduce a fernale Bathoter into the more and elavate the fragments and make them hold Their place and apply adhism Itripo across if The hemore age does not stop you must plug the mose (00)

7 / 1864 of the malar bone he broken you Should if you Count get it back in any other way cut down whom it and whose it by making leverage to caise it The Cower jano is lacable to be broken at different # Mitchell Bain 873/164 Magnilian. Holly hawle · Substitute for gun Arobic Meangonese- Arrowolook. Matean May Apple Potofillin pulverised Hay Apple Substitue 11 -1 0

or calonies 5/ Maint Pepper mint for collicts in young children taken anoundly and make a poublice and put on the Stomach a drack in our owner of Sweet oil and wife if along the Spine of an Infant will cure colice It will put it to sleep -MillE- Meonesia Mousto Moresa Mushroons Gum March Nat tha

10 ospelal Jan. 6th 1. Digentary Treatment Lapositories. Acatalif Seed 2 gro Opin 1" To be Las Con out night Fersus grate of Iron 15 dropo - 3 times aday after meals = 2 50 Case A women 30 yearsuld first peralysis then could not retain her wrine and there got blind The blind ness is not a local cause. The has Softning of the lower part of the brain

Treatment Stricma Regide of Zine 2 gro Egnacia maria 15-gr. in pile 3 times actory Coal liver oil a table Soonful 8 times aday and blister X & icleson fan 8 \$ 1864: Hydro cepolis cold to the head mureury\_ Furgatives\_

Gross-gan, 8 1/864 Inday In fractures you mu Subdue Inflamation and see to the blacketer The lover jaw many be fractived at different parts The Symtems will vary according to the injury - there will be more or less deformity - Care should be latein to Keep the jaw in close contact with the upper or they may be held together by Silver wire or by a Cineters brase Splint (T)

Splint Fractine of the Hyoid Bone is occasionally met with Frootine of the Cavical The fraction is generally Obligni - The syntims are Carristic-Thepatient grasps the aim at the elbow and hold the bushy at one siele the Shoulder is sunker downwards and inwards The patient is generally unable to laise his hand to his mouth The fracture is adjusted by pusting the Should upwarely outward and bactvarels (71)

The arm should be Sleyed to that the hand is on the Cornel Shouldes and then Seaure it bers adhesive Strips you mid not rimous the dressine more than once generally - It is nor nessarie to introd uce a custion into the anilla - all -In Shite of all you can do there will be more or less Deformity. Thatture of the Sternmen not be Displacement Ihr patient & will la Francisco

have trouble in breathing you must apply a Compress and confine it by allusine Strips they must extend once and a half arround the chest or a voller you weed not pay any attention to the air in the plura it will be absorbeel. antimomals' Saline mistures allay the cough e million 7-6-5-6 e co

Fracture of The Scapula Wallace gan, 8 H 864 Comeration Agush of Blove many wash away the ovin Le cundation may Lase place in the felo pian tule or in the Wirns It is not formed in the uterns untill about 12 days Compulsion ovilation is brought on by Sexual tem talion conseption is not pregnamey -

83

Frig nancy is the development of the orrun Where may conception tato place-Treg namely may teste place in the overy on in the fallopiantale In pregnancy is Where the over her fred itself in side of the uterus The child is not the cause only of the enlargement of the wound you will find one end of the words brigher we than the other 01-41

the nedle of the uterus is not more than an inch and a half Two weeks prior to pre labor you will find the retrovertiel you will find it belief a little to the right at the bud of there months and a half the uterus io out of the pelvio you can feel it at the top of the pubis (5)

by the 5-the mouth it will be up to the navel. It continues to grow untill about 8/2 moon monthes and then it appears to get Smaller it sintes Why does it face It james the feter down into the execution of the pelvis - Sointimes it flattens out transversly It is a sign that (8)

She will be pregnent in 12 or 14 days -But it does not always sunts. Some women cary the child high tent it is not a general rule Brought in a of lasen to tollong Her 8 the of Janhery 1864 - Cent my Booth is full game 8 th 1864 (2)

187 glass of waler hands for wash liame and Housey eguel Locheray Solution Though rest tot M. D. wile 20 hills Syrvelle 1776 2090 for cough alla el-9)

aday アフスを monthy schol of follows ne 7€ mag ingo in Etmo 3/1 5 509 Mallebose

thud over to head a morinapprom 3 omnoso 576 36 while Morabluce Hope, Loved Mudera

cherice if fine 6-gas of morning police Ter of that muce in num ton muly my -11 G 200 11 How dame and the good of the sec. of the sec. miles in low condition you was find a double soft you will sometime Table blood untill it becomes when you have a hard hules (8)

of pocularing or 2 goods of oful in such case to duste Be coughed about it him and the System is very weart I he pulse may bed strong Linning of the Elementing canal learn the condition of the We look at the longue to er - Thorn in midle life, -The hunter of voy much gruch very afil to low a beat of Children and old regile are 34 Condition of vousibleond Chancetor of Hearth action De Duantily of block mospine.

Godine. had of postany Showard ) Eyenolid Sople Noy and 802 - AB3 and of by 90,40. NO3 and 0 = NO4 Not and Elle = Mes and Story Marand 20 = NO4-15-0, NO: and 8= 720, 203 and No. 13 della Dec- 10 th 1868 [who odding

drossings warmed and Then about the on afrey the find from the by distinufiled Suture and truly the parts by fresher attitude the the blood mostes - for forest of my but had Tre atment first bring Jourson werend tot

Titre or cid or Lemonque and Shugar. Jake it ad libitum Cran peper for colleged put a Teas pointul of Cra pepper in each No-le- gope & Chile 149 149 Mig - 1:0.

Droffers. Joseph Janevast, Anaton D. Gross - Surgery Dieleson P. Medicina Mitchell M. Meelica Dunglison Phsiology E. Wallace Cobstituées Bache Cemestry W Stornegicut Dernonstrum Ludlow Hed Chinic Agrico Sing Colinic

Motive 1.04 Milhous 138 1/10.810



